

LOKKEN

Lokken Ag Innovations Ltd. has developed an exciting new product to make your busy harvest a little easier - the 'Cutting Height Gauge.'



Lokken Ag Innovations fabricates gauges to fit most makes of combines and swathers

This innovative product continually indicates your cutting height. It is available for self propelled straight-cutting combines, self propelled swathers, and for most pull type swathers. Guess work is eliminated. With the Lokken gauge, you'll know your cutting height at a glance.

Q: Why should I have a Lokken cutting height gauge?

A: When combining, cutting at a proper height will maximize yields and minimize equipment wear. If you cut too high, heads will be missed resulting in lower yields and reduced profits. If you cut too low, you may hit dirt or rocks increasing wear and tear on your combine. It may even cause a costly and time-consuming break down. A Lokken Cutting Height Gauge will help you avoid these hazards

The Facts: Cutting Height Gauge

The gauge is constructed of quality material for long lasting, trouble free use. It is mounted on the inside front or side window of your cab where it is protected against dust and moisture. The Cutting Height Gauge is especially useful when combining at night. Operators tend to cut higher in the dark to avoid hitting dirt or rocks. This may result in missed heads and lower crop yields.

The gauge scale provides readings starting at four inches. This allows the operator to cut extremely low to maximize crop yields without hitting the ground and causing damage. The Lokken Gauge is useful for ensuring stubble is left even especially when using more than one combine on the same field.

For the custom combiner, even stubble suggests a professional combining job. Creating uneven stubble by alternating high and low cuts is easy with the Lokken gauge. Stubble will catch greater snowfall resulting in more ground moisture and less wind erosion in the spring - an environmental responsible farming practice.

The Lokken Cutting Height Gauge is complimentary to; 'o-till and or stripper header operations.'



See the Lokken Cutting Height Gauge in Action!

PRODUCTS

Products: Learn more about the V19, V19S, RB14, and MD15 gauges

Please Select a Product
To Learn More

Model V19

**Model V19
for Self-Propelled Combines**

Model V19S

Model RB14

Model MD15

Model V19: Specs

- Universal Product Fits All Combines
- Inside Cab Mounting Directly to Windshield
- Spring & Cable Operation
- Magnet & Cable Connection to Top of Feeder House
- Fully Assembled

Patented: 1990 Canada, USA, Australia

Weight: 2.25 Lbs

Length: 34 Inches



The Lokken Cutting Height Gauge for Self-Propelled Combines is the perfect choice for night operation and for the inexperienced combine operator. The Gauge is clearly visible, and because it is mounted inside the cab it is protected from dust and dirt. The scale shows a cutting height from 4 inches to 20 inches in order to maximize productivity and minimize wear and tear on your combine. The gauge allows you to easily see your cutting height at all times. Comes fully assembled and ready for installation.

Canada Pat. No. 2024097 U.S. Pat. No. 5072577 Australian Pat. No. 625611

PRODUCTS

Products: Learn more about the V19, V19S, RB14, and MD15 gauges

Please Select a Product
To Learn More

Model V19

Model V19S

Model V19S
for Self-Propelled Swathers

Model RB14

Model MD15

Model V19S: Specs

- Universal Product Fits All Swathers
- Inside Cab Mounting Directly to Windshield
- Spring & Cable Operation
- Magnet & Cable Connection to Top of Header Frame
- Fully Assembled

Patented: 1990 Canada, USA, Australia

Weight: 2.25 Lbs

Length: 34 Inches



The Lokken Cutting Height Gauge for Self-Propelled Swathers makes the perfect tool, and a great investment. Make harvest a snap with one of our swather cutting height gauges, designed to fit almost every make of swather. The scale continually shows your cutting height, and is great for creating uneven stubble to capture spring-time soil moisture. Call Lokken Ag. Innovation today and order your V19S Cutting Height Gauge.

Canada Pat. No. 2024097 U.S. Pat. No. 5072577 Australian Pat. No. 625611

PRODUCTS

Products: Learn more about the V19, V19S, RB14, and MD15 gauges

Please Select a Product
To Learn More

Model V19

Model V19S

Model RB14

Model RB14
for Pull-Type Swathers

Model MD15

Model RB14: Specs

- Universal Product; Works on Most Pull-Type Swathers
- Works Just Like a Combine Gauge
- Scale Moves in 4 Inch Increments
- Black Number Scale

Patented: 1990 Canada, USA, Australia

Weight: --- Lbs

Length: --- Inches

The RB14 Gauge is for older swathers, which includes those that require mechanical efforts to switch into transport mode.

The swather cutting height gauge – providing accurate height control for optimum swathing results.

Whether your cutting with a combine or a swather – a cutting height gauge is a must during the busy harvest season. Eliminate the guess work and maximize the results.

Canada Pat. No. 2024097 U.S. Pat. No. 5072577
Australian Pat. No. 625611

PRODUCTS

Products: Learn more about the V19, V19S, RB14, and MD15 gauges

Please Select a Product
To Learn More

Model V19

Model V19S

Model RB14

Model MD15

Model MD15
for Pull-Type Swathers

Model MD15: Specs

- Universal Product; Works on Most Pull-Type Swathers
 - Works Just Like a Combine Gauge
 - Scale Moves in 4 Inch Increments
 - Black Number Scale
- **some adaption may be required

Patented: 1990 Canada, USA, Australia
Weight: --,-- Lbs
Length: --,-- Inches

The indicator rod mounts on the swather frame with a metal scale attached. The gauge cable is attached to a metal bracket clamped to the hitch assembly. Once installed, you simply calibrate your scale to your swather. The indicator is sensitive to the movements of the swather. It gives reading from 4 to 20 inches in 4 inch increments, This provides accuracy and flexibility for cutting height control. The black numbers scale is also visible day or night.

Canada Pat. No. 2024097 U.S. Pat. No. 5072577
Australian Pat. No. 625611

The MD15 Gauge is designed for new swathers, which include those with the auto-fold or similar features which use hydraulics to switch the swather into transport. This includes: Mac Don and others, possibly with some adaption.

CONTACT

Contact: Contact us to place your order and for more product information

How Does it Work?: Simple.

Q: Need to place an order? Need additional information about a particular product?

A: Lokken Ag Innovations Limited is here to help. Contact us for information on our products or to place an order. Make this harvest season better.

OR

Check out our "[Information Section](#)" to contact us via email. We are waiting to hear from you, contact Lokken Ag. Innovations today!

For **Customers Outside of Canada**

Lokken wants to provide you with outstanding services regardless of where you live. Low shipping costs and excellent service make Lokken Ag. Innovations an excellent choice for farmers everywhere. Fill out our new customer "[Order Form](#)" to receive order information.

Lokken Ag. Innovations Limited
1407 Coteau Avenue
Weyburn, Saskatchewan
Canada
S4H 0H8

(telephone) **1 (306) 842 5835**

(e mail) **wmartin@lokken.ca**

Click the above email address to send your questions and concerns
directly to Lokken Ag. Innovations Limited